

David Miller
Shaklee - Independent Distributor
1490 Bat Roost Rd
Manchester, Ohio 45144
937-779-0046

Get Your Shaklee Products Go Here:

<http://www.shaklee.net/mimc/>

Introducing Shakleebaby™ and Shakleekids™



**Introducing Shakleebaby™ - Always Safe. Always Gentle. Always Healthy.
Open Order 5/1**

Babies are the most precious gifts in the world. Keep yours happy and healthy with Shakleebaby. Safe, pure, and natural, our pediatrician tested baby care products are formulated to keep your little one's bottoms soft, itty-bitty toes clean, and growing body healthy.



Gentle Wash

Clean, fresh baby. This extra gentle wash is made with organic chamomile and lavender, pH balanced and sensitivity tested to shower even the most tender skin with love. 99% Natural; 76% Organic.

#30108 <http://www.shaklee.net/mimc/>



Soothing Lotion

So soft. Organic sunflower seed oil and shea butter moisturize, and organic chamomile and lavender soothe. 99% Natural; 87% Organic.

#30106 <http://www.shaklee.net/mimc/>



Diaper Rash Cream

Naturally soothing. Zinc Oxide protects baby's delicate skin from wetness, keeping skin healthy and dry, and helps heal diaper rash. Organic and natural oils keep skin hydrated and smooth while chamomile, aloe, and calendula extracts soothe. 99% Natural. 78% Organic.

#30109 <http://www.shaklee.net/mimc/>



Massage Oil

Perfect for massaging baby or moisturizing after a bath. With organic sunflower oil, lavender, and chamomile to moisturize and smooth. 99% Natural, 99% Organic.

#30107 <http://www.shaklee.net/mimc/>




Multivitamin & Multimineral Powder

One of the most comprehensive infant-toddler supplements available, it contains prebiotics to help promote a healthy immune system and bundles of vitamin D to support strong bones and teeth. Star-K Certified. *

#20057 <http://www.shaklee.net/mimc/>

* These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.



Introducing Shakleekids™ - Supersmart. Supersafe. Supernutritious.
Open Order 5/1

Behold the powers of Shakleekids Mighty Smart and Incredivites! These dietary supplements are made with supersafe ingredients that bring out the best in kids, like rad vision, smart noggins, and a rockin immune system. *



Incredivites™

Shakleekids Incredivites is the first kids chewable multivitamin in the U.S. with lactoferrin, a protein that helps busy bodies' immune systems stay supercharged. Packed with 23 essential nutrients, it's one of the most comprehensive supplements available - with 600IU of vitamin D to support strong bones and teeth, and 100% of the daily value for vitamins C and E per serving. *

#20002 <http://www.shaklee.net/mimc/>

Note: Vita-Lea® Ocean Wonders™ will continue to be available.



Mighty Smart™

Shakleekids Mighty Smart is scientifically formulated with a power-packed blast of ultra-pure DHA. Essential for early brain development, this omega-3 fatty acid has been shown to support mighty memory, mad concentration, and fierce mind skills. Star-K Certified.

#20058 <http://www.shaklee.net/mimc/>

BestWater® Home Water Treatment Products Performance Data Sheet



MTS 2000® *Countertop Model 82300* *Undercounter Model 82333*

Home Water Treatment for the 21st Century

- Best overall value in its class.
- Effectively reduces a wide range of chemicals, lead, and cysts – including cryptosporidium.
- Applies to a wide range of potable water conditions.
- Water on demand.
- Affordable: Just pennies a day.
- Easy to install and use.
- NSF *International* Listing.



System Tested and Certified by NSF International against ANSI/NSF Standard 42 for the reduction of Particulates - Class 1, Chlorine Taste and Odor reduction and Standard 53 for Turbidity, Cyst, Lead and VOC reduction.

GENERAL INSTALLATION CONDITIONS AND NEEDS

Installation and use of all BestWater systems must comply with state and local laws and regulations. Be sure your installation of the MTS 2000 Undercounter Model complies with your local plumbing codes. These systems must be installed on a cold water source in accordance with the detailed instructions in the Owner's Manual. These BestWater MTS 2000 systems are not intended to purify non-drinkable sources of water. Do not use with water that is microbiologically unsafe or with water of unknown quality without adequate disinfection before or after the system. Systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts. These systems are not rated for the removal of dissolved iron or hydrogen sulfide.

GENERAL OPERATIONAL AND MAINTENANCE REQUIREMENTS

Compliance with operational, maintenance, and replacement requirements as noted in the Owner's Manual is essential for the products to perform properly. Filter should be changed every 1000 gallons or 1 year, dependent on conditions of use, whichever comes first.

SPECIFICATIONS

Usage:	Potable water only
Water Temperature:	Minimum 36°F (2°C) Maximum 100°F (38°C)
Water Pressure:	Minimum 25 psig (1.76 kg/cm ² or 172 kPa) Maximum 125 psig (8.79 kg/cm ² or 862 kPa)
Dimensions:	10"H x 8"D
Carbon Material:	Coconut shell
Rated Service Flow:	2.65 liters/min, 0.7 gpm at 60 psig (8.7 kPa)
Rated Filter Service Life [§] :	1000 gallons (3,785 liters) or 1 year, whichever comes first
Replacement Filter:	#52301
Replacement Filter Cost:	SRP \$106.80

*Available from your Shaklee
Independent Distributor or 1.800.SHAKLEE*

MANUFACTURER'S LIMITED WARRANTY

The BestWater MTS 2000 is covered by a special limited warranty listed in the Owner's Manual.

§ The performance and element replacement frequency of this unit and all water treatment units will vary based on conditions and the amount of water used daily.

BestWater® MTS 2000® Models

Contaminant Reduction Percentages

BestWater MTS 2000 Models have been tested and certified by NSF *International*, and conform to NSF/ANSI Standard 42, Aesthetic Effects, and NSF Standard 53, Health Effects, for the reduction of contaminants listed below. The concentration of the indicated substances in water entering the system was reduced to a concentration less than or equal to the permissible limit for water leaving the system, as specified in NSF/ANSI 42/53. Testing was performed under standard lab conditions. Actual performance may vary.

Contaminants currently regulated by primary drinking water standards:

NSF/ANSI STANDARD 53 - HEALTH EFFECTS

Contaminant	Average Influent Concentration	Average Effluent Concentration	Maximum Effluent Concentration	Influent Challenge Concentration	Percent Reduction	Maximum Permissible Product Water Concentration, mg/L
Turbidity	10.5 NTU	0.11 NTU	0.2 NTU	11 mg/L ± 1 NTU ††	98.9	0.5 NTU
Cyst Microspheres	127,500 #/L*	1 #/L	5 #/L	Minimum 50,000/L	>99.95	99.95% Reduction
Cryptosporidium, Giardia lamblia						
Lead at pH = 6.5	.158 mg/L	.001 mg/L	.001 mg/L	0.15 mg/L ± 10%	>99.3	0.010 mg/L ¹
Lead at pH = 8.5	.155 mg/L	.001 mg/L	.001 mg/L	0.15 mg/L ± 10%	>99.3	0.010 mg/L ¹
VOC Reduction	0.314 mg/L	0.0006 mg/L	0.0015 mg/L	0.314 mg/L	>99.8	0.015 mg/L ²

ORGANIC CHEMICALS INCLUDED BY SURROGATE TESTING

Chemical	Influent challenge level ug/L (ppb)	Chemical Reduction percent	Maximum product water level ug/L (ppb)	Chemical	Influent challenge level ug/L (ppb)	Chemical Reduction percent	Maximum product water level ug/L (ppb)
alachlor	50	>98	1	heptachlor	80	>99	0.4
atrazine	100	>97	3	heptachlor epoxide	10.7	98	0.2
benzene	81	>99	1	hexachlorobutadiene	44	>98	1
carbofuran	190	>99	1	hexachlorocyclopentadiene	60	>99	0.002
carbon tetrachloride	78	98	1.8	lindane	55	>99	0.01
chlorobenzene	77	>99	1	methoxychlor	50	>99	0.1
chloropicrin	15	99	0.2	pentachlorophenol	96	>99	1.0
2,4-D	110	98	1.7	simazine	120	>97	4.0
dibromochloropropane (DBCP)	52	>99	0.02	styrene	150	>99	0.5
o-dichlorobenzene	80	>99	1	1,1,2,2,-tetrachloroethane	81	>99	1.0
p-dichlorobenzene	40	>98	1	tetrachloroethylene	81	>99	1.0
1, 2-dichloroethane	88	95 ⁴⁾	4.8	toluene	78	>99	1.0
1, 1-dichloroethylene	83	>99	1	2,4,5-TP (silvex)	270	99	1.6
cis-1, 2-dichloroethylene	170	>99	0.5	tribromoacetic acid	42	>98	1.0
trans- 1,2-dichloroethylene	86	>99	1	1,2,4-trichlorobenzene	160	>99	0.5
1,2-dichloropropane	80	>99	1	1,1,1 -trichloroethane	84	95	4.6
cis- 1,3-dichloropropylene	79	>99	1	1,1,2-trichloroethane	150	>99	0.5
dinoseb	170	99	0.2	trichloroethylene	180	>99	1.0
endrin	53	99	0.59	trihalomethanes (includes):			
ethylbenzene	88	>99	1	chloroform †	300	95	15.0
ethylene dibromide (EDB)	44	>99	0.02	(surrogate chemical)			
haloacetonitriles (HAN):				bromoform			
bromochloroacetonitrile	2.2	98	0.5	bromodichloromethane			
dibromoacetonitrile	24	98	0.6	chlorodibromomethane			
dichloroacetonitrile	9.6	98	0.2	xylenes (total)	70	>99	1.0
trichloroacetonitrile	1.5	98	0.3				
haloketones (HK)							
1, 1-dichloro-2-propanone	7.2	99	0.1				
1,1,1-trichloro-2-propanone	8.2	96	0.3				

Maximum product water level was not observed but was set at the detection limit of analysis.
Maximum product water level is set at a value determined in surrogate qualification testing.

Reduction of contaminants not currently regulated by primary drinking water standards:

NSF/ANSI STANDARD 42 - AESTHETIC EFFECTS

Parameter	Average Influent Concentration	Average Effluent Concentration	Maximum Effluent Concentration	Influent Challenge Concentration	Percent Reduction	Reduction Requirement
Particulates - Class 1	9,333,333 #/mL*	97,683 #/mL	200,000 #/mL	>10,000 #/mL	98.9	>85%
Chlorine, Taste and Odor	2.0mg/L	<0.05mg/L	0.05 mg/L	2.0 mg/L ± 10%	97.5	>=50%

Note: The contaminants or other substances reduced by this water treatment device are not necessarily in your water.

††Nephelometric Turbidity Unit (NTU).

*#/L = Particles per liter; #/mL = Particles per milliliter

† Chloroform used as an Organic Surrogate. Source: NSF/ANSI Standard 53, 2001- Drinking Water Treatment Units - Health Effects, Rationale for Volatile Organic Reduction Claims, Section 6.4, Tables 5 and 10.

State of California Certificate Number:
95-1200 (applies to both countertop and undercounter)

